

<b>PALOMAR</b>		<b>“Q” Clause</b>		<b>Purchase Order Attachment</b>	
Rancho Santa Margarita, CA 92688				Page 1 of 1	
NUMBER: <b>11</b>	REV: <b>C</b>	TITLE: <b>Packaging Requirements for Protection of Electrostatic Sensitive Devices</b>			
DOCUMENT OWNER: QUALITY MANAGER					
PREPARED BY: Will Distler		SIGNATURE: Will Distler		DATE: 04/11/2019	DEPT: Quality
APPROVED BY: Andrew Lawrence		SIGNATURE: Andrew Lawrence		DATE: 04/11/2019	DEPT: Quality

Packaging of electrostatic sensitive devices shall conform to the following requirements:

- Protection shall be provided to prevent physical damage and to maintain position of leads or terminals during handling and transportation. Material used for this protection shall be non-corrosive and provide protection against generation of static electricity. At the supplier’s option, conductive shunting foam, bars or clips may be applied on electrical connectors to short all connector pins and the connector shell together.
- All electrostatic sensitive devices shall be contained in antistatic or conductive shipping containers (tubes, carriers, etc...)
- Shipping containers shall then be enclosed in an ESD protective material conforming to MIL-B-81705, Type 1. This is to provide protection from electrostatic sources of at least 4,000 volts in the form of field induction or direct discharge.
- Any packing dunnage shall be of the antistatic variety.
- Both internal and external packaging containers shall be marked with a caution label as shown below or an appropriate equivalent.



**Note: Failure to comply with these packaging requirements will result in rejection of the entire lot of devices at Receiving Inspection.**

*Typed signatures constitute approval. Actual signatures on file at Palomar Products, Inc., Rancho Santa Margarita, CA*

**Palomar Products, Incorporated™, All Rights Reserved**